

# Run Qt on Linux embedded systems using Yocto

Marco Cavallini, KOAN

[License: CC BY-SA 4.0]











#### Rights to copy

© Copyright 2019, Marco Cavallini - KOAN sas - m.cavallini <AT> koansoftware.com

ftp://ftp.koansoftware.com/public/talks/QtDay-2019/QtDay2019-Koan.pdf

#### Attribution – ShareAlike 4.0







#### You are free

to copy, distribute, display, and perform the work to make derivative works to make commercial use of the work

#### Under the following conditions

**Attribution**. You must give the original author credit. **Share Alike**. If you alter, transform, or build upon this work, you may distribute the resulting work only under a license identical to this one.

License text: https://creativecommons.org/licenses/by-sa/4.0/legalcode





#### **Abstract**

This talk will give you all the information to run Qt applications on a real Linux embedded system using Yocto Project.

Will be discussed how to prepare the target system with all the needed Qt5 libraries, setup the ARM cross-compiler and finally run your beautiful Qt application on it.

The purpose of this talk is to show how to use Qt5 with Yocto Project on a real embedded hardware like Raspberry PI3 or similar like iMX6.





#### Agenda

- What is an embedded system
- Differences between a normal distro and embedded
- How to use Qt on embedded systems
- How to use Yocto Project
- Layer meta-qt5
- ➤ Yocto customization for Qt5
- Adding a custom layer to customize Qt5
- Deploy and debug on embedded system
- Demo on real hardware





# **Embedded systems**






#### What is an embedded system

The term "embedded system" generically identifies electronic microprocessor systems designed specifically for a given application, often with an ad hoc hardware platform.









#### Embedded system software

#### Bare metal

 installed directly on hardware rather than within the host operating system

#### Operating system

- Android
- **♦**Linux
- Windows Embedded
- VxWorks
- FreeRTOS
- Zephyr
- ◆ Etc...





## **Linux distribution**





#### Linux distribution

- > Linux distribution (often abbreviated as distro)
  - operating system made from a software collection, which is based upon the Linux kernel and, often, a package management system.
- Typical Linux distros (not embedded)
  - Debian
  - Ubuntu and (\*)ubuntu
  - Red Hat
  - ◆ Fedora
  - ArchLinux
  - ◆ Etc...






# System integration possibilities

	Pros	Cons
Building everything manually	Full flexibility	Dependency hell
	Learning experience	Need to understand a lot of details
		Version compatibility
		Lack of reproducibility
Binary distribution	Easy to create and extend	Hard to customize
Debian, Ubuntu, Fedora, etc.		Hard to optimize (boot time, size)
		Hard to rebuild the full system
		from source
		Large system
		Uses native compilation (slow)
		No well-defined mechanism to gen-
		erate an image
		Lots of mandatory dependencies
		Not available for all architectures
Build systems	Nearly full flexibility	Not as easy as a binary distribution
Yocto, Buildroot, PTXdist, etc.	Built from source: customization	Build time
	and optimization are easy	
	Fully reproducible	
	Uses cross-compilation	
	Have embedded specific packages	
	not necessarily in desktop distros	
	Make more features optional	





# Build system workflow







# Qt on embedded system





#### Get Qt

With Qt, you can reach all your target platforms

desktop & embedded –

Qt is available under a dual-licensing model

- you choose what's right for your needs.
- Commercial
- Open Source (We will cover only this one)

https://www.qt.io/download





#### Open Source Rights & Obligations

#### Qt Usage under (L)GPL v3 license

- Must provide a relinking mechanism for Qt libraries
- Must provide a license copy & explicitly acknowledge Qt usage
- Must make a Qt source code copy available for customers
- Qt source code modifications aren't proprietary
- Must make "open" consumer devices
- For Digital Rights Management please see Qt FAQs
- Special consideration should be taken when attempting to enforce software patents







#### Additional features and Tools

Qt has it's own cross-platform IDE d UIs once and deploying them across multiple operating systems. **Some features are limited to GPL** 

(Here we don't care about Workstation side features and tools)





## Embedded tooling & solutions

Qt has **ready-made** solutions that speed up your device creation.

Their setup and management may be difficult.

- Direct on-device debugging
- One-click deployment
- Qt sources for DIY embedded software stack
  We are going to learn how to use them...



- Reference software stack (Yocto based Boot2Qt) & SDK \*
- Qt Configuration tool (Qt Lite) \*
- Qt Virtual Keyboard (license GPL only) \*
  - \*(Not covered here)






#### Remote debugging

#### Direct on-device debugging

- Available through the Yocto Project toolchain
- Cross debugging







# Target deployment (1/2)

#### One-click deployment on embedded target

Edit the qmake INSTALLS variable in the project .pro

```
target.path = /home/root
INSTALLS += target
```

Run Settings				
Deployment				
Method:	Deploy to Remote Linux Host ▼ Add ▼ Remove Rename			
Files to deploy:				
Local File Path Remote Directory				
Check for free	disk space	Details ▼		
Upload files vi	a SFTP	Details ▼		
Add Deploy Step	•			





## Target deployment (2/2)

#### One-click deployment on embedded target

- > By default, Qt Creator copies the application files to the device by using the SSH file transfer protocol (SFTP)
- Available through the Yocto Project configuration
- SSH virtual package : dropbear vs. openssh





#### Yocto standard software stack

#### Qt sources for 'DIY' embedded software stack

- Available for the Yocto Project
- Layer : meta-qt5



https://github.com/meta-qt5/meta-qt5





## Boot2Qt software stack

Reference software stack (Yocto based Boot2Qt) & SDK

https://doc.qt.io/QtForDeviceCreation/qtb2-index.html

- Boot to Qt (b2qt) is the reference distro used in Qt for Device Creation.
- ➤ It combines **Poky**, **meta-qt5** and various BSP meta layers to provide an integrated solution for building device images and toolchains with the latest Qt version.
- Available for the Yocto Project under commercial license
- Layer : meta-boot2qt

https://code.qt.io/cgit/yocto/meta-boot2qt.git/





## QtVirtualKeyboard

#### Qt Virtual Keyboard (license GPL only)


```
int main(int argc, char *argv[])
{
    qputenv("QT_IM_MODULE", QByteArray("qtvirtualkeyboard"));
```







#### How to use LGPL libraries







## How to use Yocto project

KOAN - Kernel, drivers and embedded Linux development, consulting, training and support





## What is Yocto Project?

- Collection of tools and methods enabling
  - Rapid evaluation of embedded Linux on many popular off-theshelf boards
  - Easy customization of distribution characteristics
- Supports x86, ARM, MIPS, PowerPC
- Based on technology from the OpenEmbedded Project
- Layer architecture allows for easy re-use of code





other layers

meta-yocto-bsp

meta-poky

meta (oe-core)





#### Yocto Project overview

- > YP builds packages then uses these packages to build bootable images
- Supports use of popular package formats including:
  - ◆rpm, deb, ipk
- > Releases on a 6-month cadence
- Latest (stable) kernel, toolchain and packages, documentation
- App Development Tools including Eclipse plugin, SDK, Toaster





## Yocto release versions

Name	Revision	Poky	Release Date
Bernard	1.0	5.0	Apr 5, 2011
Edison	1.1	6.0	Oct 17, 2011
Denzil	1.2	7.0	Apr 30, 2012
Danny	1.3	8.0	Oct 24, 2012
Dylan	1.4	9.0	Apr 26, 2013
Dora	1.5	10.0	Oct 19, 2013
Daisy	1.6	11.0	Apr 24, 2014
Dizzy	1.7	12.0	Oct 31, 2014
Fido	1.8	13.0	Apr 22, 2015
Jethro	2.0	14.0	Oct 31, 2015
Krogoth	2.1	15.0	Apr 29, 2016
Morty	2.2	16.0	Oct 28, 2016

Name	Revision	Poky	Release Date
Pyro	2.3	17.0	Apr, 2017
Rocko	2.4	18.0	Oct, 2017
Sumo	2.5	19.0	Apr, 2018
Thud	2.6	20.0	Oct, 2018
Warrior	2.7	21.0	Apr, 2019
Zeus	2.8	22.0	Oct, 2019
			Apr, 2020
			Oct, 2020





## The build engine: bitbake

#### **≻**bitbake

- Powerful and flexible build engine (Python)
- Reads metadata
- Determines dependencies
- Schedules tasks



Metadata – a structured collection of "recipes" which tell BitBake what to build, organized in layers






#### What is Poky

- Poky is a reference distribution
- Poky has its own git repo

```
git clone git://git.yoctoproject.org/poky
```

- Primary Poky layers
  - oe-core (poky/meta)
  - meta-poky (poky/meta-poky)
  - meta-yocto-bsp



Poky is the starting point for building things with the Yocto Project





#### BSP layers

- > A BSP Layer allows to support a specific hardware
- List of available layers

http://git.yoctoproject.org - http://layers.openembedded.org

octo Metadata Layers	lat Defenses OS Kit footstel
intel-iot-refkit	Iot Reference OS Kit for Intel
meta-alexa-demo	Layer containing recipes to add an Alexa client to an image
meta-amd	Layer containing AMD hardware support metadata
meta-anaconda	Layer to provide Anaconda installer
meta-axxia	Layer for LSI's family of Axxia mobile & enterprise communication processors
meta-cgl	Enable Carrier Grade Linux compliance through a reference Linux distribution
meta-cloud-services meta-dpdk	Provides the packages and images for Cloud compute, control and storage nodes (O Data Plane Developer Kit (dpdk.org)
meta-external-toolchain	OE/Yocto external toolchain support layer
meta-freescale	Layer containing NXP hardware support metadata
meta-gplv2	GPLv2 versions of software where upstream has moved to GPLv3 licenses
meta-intel	Layer containing Intel hardware support metadata
meta-intel-clear-containers	Layer enabling Intel Clear Containers
meta-intel-contrib	Intel hardware support extras
meta-intel-iot-middleware	Shared middleware recipes for Intel IoT platforms
meta-intel-qat	Intel Quick Assist Technology Layer
meta-ivi	Collection of software related to In-Vehicle Infotainment systems
meta-java	Layer containing recipes for OpenJDK and other open source Java- related compone.
meta-maker	Layer supporting applications and tools for Makers in OE
meta-mentor	Layer containing Mentor Graphics support metadata
meta-mingw	Layer for mingw based SDKs
meta-mingw-contrib	Mingw based SDKs extras
meta-mono	Metadata layer to build the Mono runtime
meta-oic	Layer containing recipes for building the Open Interconnect Consortium Iotivity
meta-qcom	Layer containing Qualcomm hardware support metadata
meta-qt3	Qt3 layer for supporting LSB Testing and Compliance
meta-qt4	Qt4 layer for supporting LSB Testing and Compliance
meta-raspberrypi	Hardware specific BSP overlay for the RaspberryPi device






## BSP layer for Raspberry PI

Example of a BSP Layer to support Raspberry PI

git clone git://git.yoctoproject.org/meta-raspberrypi








## BSP layer for Freescale/NXP

Example of a BSP Layer to support Freescale eval boards

git clone git://git.yoctoproject.org/meta-freescale







# Case study (1/3)

- Case study of a custom BSP layer
- Managed using repo
- Example of a BSP Layer to support Freescale eval boards

https://github.com/koansoftware/koan-toradex-bsp-repo

```
mkdir yocto-koan-toradex
cd yocto-koan-toradex
repo init -u \
https://github.com/koansoftware/koan-toradex-bsp-repo
repo sync
```





# Case study (2/3)

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- koan-toradex-bsp-repo -->
<manifest>
<default sync-j="4" revision="rocko"/>
<remote fetch="https://git.yoctoproject.org/git" name="yocto"/>
<remote fetch="https://github.com/koansoftware" name="koan"/>
<remote fetch="https://github.com/openembedded" name="oe"/>
<remote fetch="https://github.com/meta-qt5" name="qt5"/>
<remote fetch="http://github.com/Freescale" name="githf"/>
<remote fetch="http://git.toradex.com" name="tdx"/>
<linkfile dest="README.md" src="README.md"/>
   <linkfile dest="setup-environment" src="setup-environment"/>
</project>
</manifest>
```



## Case study (3/3)

#### Project directory tree

```
~/yocto-koan-toradex$ tree -L 2
    README.md -> sources/base/README.md
    setup-environment -> sources/base/setup-environment
    sources
        base
        meta-freescale
        meta-freescale-3rdparty
        meta-openembedded
        meta-qt5
        meta-toradex-bsp-common
        meta-toradex-nxp
        poky
```

- > We will see on the next slide what's the content of **meta-qt5**...
- ... and later how to customize a qt image ...





## Layer meta-qt5







### meta-qt5

➤ Get the layer supporting Qt5

```
git clone git://github.com/meta-qt5/meta-qt5.git
```

- Layer dependency
  - This layer depends on meta-openembedded
- When building stuff like qtdeclarative, qtquick, qtwebkit, make sure that you have required PACKAGECONFIG options enabled in qtbase build
- > See **qtbase** recipe for details





## meta-qt5

#### Using meta-qt5

- ➤ You need to include the **meta-qt5** layer into your Yocto build environment.
- Editing the conf/bblayers.conf file and include path for meta-qt5.
- Then you can include any Qt module into your image or toolchain.
- ➤ By default, **meta-qt5** enables only a minimal set of features, thus you may need to customize it...





# Yocto customization for Qt5





## Qt Platform Abstraction

The Qt Platform Abstraction (QPA) is the platform abstraction layer for Qt5

https://doc.qt.io/qt-5.12/embedded-linux.html

https://doc.qt.io/qt-5.12/qpa.html

It replaced Qt for Embedded Linux and the platform ports from Qt4 that was using its own window system (**QWS**) implementation





## **QPA** plugins

- ➤ Since the Qt 5.0 release there are multiple platform plugins that are potentially usable on Embedded Linux systems:
  - eglfs Uses the OpenGL ES in fullscreen mode. It has no concept of a window manager.
  - ◆ linuxfb Uses the linux frame buffer in fullscreen mode. It has no concept of a window manager.
  - directfb Uses the linux frame buffer with OpenGL ES via the directfb layer. Integrates into the directfb windowing.
  - wayland provides a wayland platform plugin that allows Qt application to connect to a wayland compositor. Wayland is intended as a simpler replacement for X.
  - Other platforms are: xcb, offscreen, minimal






## QPA - eglfs

- For iMX6 and RPI3
- > enable **eglfs**, add in **local.conf**





```
DISTRO_FEATURES_remove = "X11 wayland"
```

- On the target machine enable Qt to run eglfs platform (in case editing /etc/profile) export QT\_QPA\_PLATFORM=eglfs
- or when you run an application; you need to add -platform eglfs

helloworld -platform eglfs





## QPA - linuxfb

- For Atmel/Microchip At91SAMA5
- > enable linuxfb, add in local.conf



```
DISTRO_FEATURES_remove = "opengl X11 wayland"
```

- On the target machine enable Qt to run linuxfb export QT\_QPA\_PLATFORM=linuxfb:fb=/dev/fb0
- or when you run an application; you need to add -platform linuxfb

helloworld -platform linuxfb





# Adding a custom layer to customize Qt5





## Create your layer (1/2)

#### Let's add our custom layer

```
~/yocto-koan-toradex$ tree -L 2
    README.md -> sources/base/README.md
    setup-environment -> sources/base/setup-environment
    sources
        base
        meta-freescale
        meta-freescale-3rdparty
        meta-openembedded
        meta-qt5
        meta-koan
        meta-toradex-bsp-common
        meta-toradex-nxp
        poky
```





## Create your layer (2/2)

Create a custom layer

Add the layer to bblayers.conf





## PACKAGECONFIG (1/3)

- Enable OpenGL ES2 support
- Create a qtbase\_%.bbappend file
- Then add the PACKAGECONFIG option as follows:

```
PACKAGECONFIG append = " gles2"
```

Very likely already included by your BSP layer





## PACKAGECONFIG (2/3)

- > Enable **SQLite** support
- Again, in a qtbase\_%.bbappend file add the PACKAGECONFIG option as follows:

```
PACKAGECONFIG_append = " sql-sqlite"
```





## PACKAGECONFIG (3/3)

➤ Other PACKAGECONFIG cases





## **QtSerial**

> Add **QtSerial** support





## QtVirtualKeyboard

> Add **Qt Virtual Keyboard** support

IMAGE\_INSTALL\_append = " qtvirtualkeyboard"





## Typical issues

Imports for a QtQuick application

```
import QtQuick 2.4
import QtQuick.Controls 2.3
```

> A typical issue when running the QtQuick application qrc:/MainWindowForm.ui.qml:2:1: module "QtQuick.Controls" version 2.3 is not installed

Means a missing components on the taget system

```
IMAGE INSTALL append = " qtquickcontrols \
  qtquickcontrols-qmlplugins \
  qtquickcontrols2 \
  qtquickcontrols2-qmlplugins"
```





## Add your image

#### Let's add a new Qt custom image

```
# koan-qt5-image proof of concept with Ot
DESCRIPTION = "A Ot5 minimal image by Koan"
LICENSE = "MIT"
inherit core-image
require recipes-core/images/core-image-minimal.bb
IMAGE INSTALL append = "
packagegroup-core-ssh-openssh openssh-sftp-server \
 gtbase \
 qtquick1 qtdeclarative \
 qtquickcontrols qtquickcontrols2 \
 qtqraphicaleffects qtimageformats qtmultimedia \
 qtserialport"
```





## Qt5 application development






## Cross compiler

- Yocto can create a re-distributable cross-compiler bitbake meta-toolchain
- Or a complete SDK for your target bitbake -c populate\_sdk <image-name>
- Or even an SDK for Qt5
  bitbake meta-toolchain-qt5





## Cross-Development Toolchain







## Cross compiler

Install it on any linux distribution

- \$ cd \$HOME/poky/build/tmp/deploy/sdk
- \$ ./poky-glibc-x86\_64-meta-toolchain-cortexa8hf-vfp-neon-toolchain-2.4.sh
- Once installed you can use it setting the build environment
- \$ source /opt/poky/2.4/environment-setupcortexa8hf-vfp-neon-poky-linux-gnueabi





Cross-compile,
Deploy and debug
on embedded system





## Cross compilation with QtCreator

> Prepare the cross compilation environment for **QtCreator** 

```
cd ~/Qt/Tools/QtCreator/bin
cp qtcreator.sh qtcreator-arm.sh
```

Edit qtcreator-arm.sh


```
#! /bin/bash
. /opt/poky/2.4-qt5-cortexa9hf/environment-
setup-cortexa9hf-neon-poky-linux-gnueabi
```





## QtCreator for embedded

- Setup a KIT for your embedded board
- Kits | Qt Version | Compilers | Qbs | CMake







## Application deployment (1/2)

> Setup the Generic Linux device in QtCreator

Android QNX Devices		
<u>D</u> evice: Linux mx6 (IP 220) (default for Generic Linux)		
General		
<u>N</u> ame:	Linux mx6 (IP 220)	
Type: Generic Linux Auto-detected: No		
Current state: Unknown		
Type Specific		
Machine type:	Physical Device	
Authentication	type: • Password • <u>K</u>	ey O Key via ssh-agent
<u>H</u> ost name:	192.168.0.220	SSH port: 22 🗘 🗆 Check host key
Free ports:	10000-10100	Timeout: 10s
<u>U</u> sername:	root	
<u>P</u> assword:		Show password
		Browse Create New
GDB server executable: Leave empty to lo		






## Application deployment (2/2)

QtCreator can deploy only if there is openssh on the target. (DO NOT use dropbear!)

```
EXTRA_IMAGE_FEATURES_append = " ssh-server-openssh"
```








## Embedded debug

> Add remote debug support to the image







## Demo on real hardware





















## Thank you!

http://yoctoproject.org

Questions?



#### **Embedded Linux Training**

Unix and GNU/Linux basics
Linux kernel and drivers development
Real-time Linux
Yocto Project
Development and profiling tools
Lightweight tools for embedded systems
Root filesystem creation
Audio and multimedia
System optimization

#### Consulting

Help in decision making
System architecture
Identification of suitable technologies
Managing licensing requirements
System design and performance review

### **KOAN** services

#### **Custom Development**

System integration
BSP creation fir new boards
System optimization
Linux kernel drivers
Application and interface development

#### **Technical Support**

Development tool and application support Issue investigation and solution follow-up with mainstream developers Help getting started





